CHDP Vision Screening Pre/Post-Test Answer Key

- 1. Visual acuity screening starts at what age?
 - a. At birth
 - b. 2 years
 - c. 3 years
 - d. 5 years
- 2. Which of the following are NOT requirements for conducting visual acuity screening?
 - a. A well-lit room
 - b. Absence of visual and auditory distractions
 - c. Eye chart should be at child's eye level
 - d. An ophthalmologist
- 3. Eyes should be screened binocularly (both eyes together).
 - a. True
 - b. False
- 4. The "Critical line" is
 - a. The top line of the wall chart
 - b. The red line on the flipchart or wall chart
 - c. The age-dependent line on the flipchart or wall chart that a child is expected to see normally and pass
 - d. None of the above
- 5. The "Threshold line" is
 - a. The top line of the wall chart
 - b. The smallest line the child can pass on the flipchart or wall chart.
 - c. The age-dependent line on the flipchart or wall chart that a child is expected to see normally and pass
 - d. None of the above
- 6. What is the recommended screening distance for children age 3-5 years?
 - a. 5 feet
 - b. 10 feet
 - c. 15 feet
 - d. Any distance the screener chooses
- 7. What is the recommended screening distance for children 6 years and older?
 - a. 5 feet
 - b. 10 feet
 - c. 15 feet
 - d. Any distance the screener chooses

- 8. Besides adhesive patches, what material is recommended for occlusion?
 - a. Child's hand
 - b. Two-inch wide hypoallergenic paper tape
 - c. Tissue
 - d. Paper cup
- 9. Instrument-based vision screening measures visual acuity.
 - a. True
 - b. False
- 10. What is the referral criteria for Visual Acuity Screening for 3 year olds?
 - a. Failure to correctly identify the majority of optotypes on the 10/25 (20/50) line, or worse, in either eye.
 - b. Failure to correctly identify the majority of optotypes on the 10/20 (20/40) line, or worse, in either eye.
 - c. Failure to correctly identify the majority of optotypes on the 10/15 (20/30 or 20/32) line, or worse, in either eye.
 - d. None of the above
- 11. What is the referral criteria for Visual Acuity Screening for 4 year olds?
 - a. Failure to correctly identify the majority of optotypes on the 10/25 (20/50) line, or worse, in either eye.
 - b. Failure to correctly identify the majority of optotypes on the 10/20 (20/40) line, or worse, in either eye.
 - c. Failure to correctly identify the majority of optotypes on the 10/15 (20/30 or 20/32) line, or worse, in either eye.
 - d. None of the above
- 12. What is the referral criteria for Visual Acuity Screening for children 5 years and older?
 - a. Failure to correctly identify the majority of optotypes on the 10/25 (20/50) line, or worse, in either eye.
 - b. Failure to correctly identify the majority of optotypes on the 10/20 (20/40) line, or worse, in either eye.
 - c. Failure to correctly identify the majority of optotypes on the 10/15 (20/30 or 20/32) line, or worse, in either eye.
 - d. None of the above
- 13. How soon can a second attempt be made to screen an uncooperative child?
 - a. The same day
 - b. Later during the same visit
 - c. No later than 6 months
 - d. All of the above